



Europäisches Patentamt

European Patent Office

Office européen des brevets



11 Publication number:

0 616 026 A1

(2)

# **EUROPEAN PATENT APPLICATION**

21 Application number: 93870125.7

2 Date of filing: 07.07.93

(s) Int. Cl.<sup>5</sup>: **C11D** 1/00, C11D 1/825, C11D 1/83

- Priority: 19.03.93 EP 93870050
- Date of publication of application:21.09.94 Bulletin 94/38
- Designated Contracting States:
  AT BE CH DE DK ES FR GB GR IE IT LI LU NL
  PT SE
- 7) Applicant: THE PROCTER & GAMBLE COMPANY
  One Procter & Gamble Plaza
  Cincinnati Ohlo 45202 (US)
- inventor: Evers, Marc François Theophile
  Jozef Van Elewyckstraat 26 B8
  B-1853 Grimbergen (BE)
  Inventor: Morini, Massimo
  rue Edouard Faes 46
  B-1090 Jette (BE)
  Inventor: Scott, Louise Gail

Inventor: Scott, Louise Gail Stijn Streuvelslaan 9 B-1933 Sterrebeek (BE)

Inventor: Geboes, Peter Rosalia Joannes

Kapellestraat 230 B-2630 Aartselaar (BE) Inventor: Reniers, Vincent Zijdelingsestraat 19 B-3300 Tienen (BE)

Representative: Canonici, Jean-Jacques et al Procter & Gamble European Technical Center N.V.
Temselaan 100
B-1853 Strombeek-Bever (BE)

- Concentrated cleaning compositions.
- Stable and clear concentrated cleaning compositions are disclosed which comprise at least one long chain surfactant, and which are stabilized by the additional presence of short chain surfactants. The short chain surfactants further boost grease cleaning performance.

## Technical Field

The present invention relates to concentrated cleaning compositions. Although the present invention relates primarily to cleaning compositions for hard surfaces, it may also be of interest for other cleaning compositions including dishwashing and laundry detergent compositions.

### Background of the Invention

Concentrated cleaning compositions are well known in the art. Concentrated compositions are mainly characterized by the fact that they comprise a higher concentration of active ingredients compared to a conventional cleaning composition, and a problem which is typically encountered when formulating concentrated cleaning compositions is therefore the physical stability of such compositions. Indeed, because such compositions comprise a high amount of active ingredients in a limited amount of water, stability problems appear which lead, if not solved, to compositions which separate into several phases. This phenomenon affects the performance of the composition and is visually noticeable, thereby rendering such formulations unfit for commercialization.

Various solutions have been proposed to solve this problem which typically involve the use of specific stabilizing ingredients, or hydrotropes. Such ingredients have the sole function of stabilizing the composition. They thus increase the cost of formulating such compositions without providing any cleaning performance benefits, and they furthermore require to free up parts in the formulation which could otherwise be used to formulate more actives.

For instance, EP 316 726 discloses concentrated compositions in the form of microemulsions which comprise water, perfume, a surfactant and a so-called co-surfactant. The co-surfactant is said to reduce the interfacial tension at interfaces between dispersed and continuous phases of an emulsion of said surfactant, thereby creating a stable microemulsion. The so-called co-surfactants in the '726 publication are listed as specific glycol ethers, which are traditionally regarded as solvents in this field, or specific carboxylic acids. The co-surfactants in the '726 publication do not appear to participate to the overall cleaning performance of the product.

It is therefore an object of the present invention to formulate a stable concentrated cleaning composition without using ingredients which are provided for the sole purpose of providing stability to the compositions herein, but which also participate significantly to the cleaning performance of said compositions.

It has now been found that this object can be met by formulating a concentrated aqueous composition comprising a traditional long-chain surfactant, in combination with at least one short chain surfactant, i.e. with a hydrophobic group consisting of a  $C_6$ - $C_{10}$  alkyl chain. Said short chain surfactants provide stability to the compositions herein and, in the same time, significantly boost the overall cleaning performance, especially grease cleaning, both in neat and dilute usage.

### Summary of the Invention

The compositions herein are stable clear concentrated cleaning compositions comprising from 10 % to 80 % by weight of the total composition of water, less than 15 % perfume and at least one long chain surfactant comprising a  $C_{11}$ -  $C_{24}$  alkyl chain as its hydrophobic portion, or mixtures thereof, said compositions further comprising at least one co-surfactant consisting of a short chain surfactant comprising a  $C_6$ - $C_{10}$  alkyl chain as its hydrophobic portion, or mixtures thereof, except where said short chain surfactant is an alkyl ether carboxylate, said alkyl chain as said hydrophobic portion is a  $C_6$ - $C_8$  alkyl chain.

## Detailed Description of the Invention

The compositions of the present invention are concentrated aqueous compositions. By concentrated, it is meant herein that the compositions comprise from 10 % to 80 % by weight of the total composition of water, preferably from 15 % to 75 %, most preferably from 30 % to 75 %.

The compositions according to the present invention are clear and stable. By clear and stable, it is meant herein that the compositions of the present invention are macroscopically substantially transparent, in the absence of any opacifier, and that said compositions do not macroscopically separate into separate phases during at least 1 month, at temperatures ranging from 4 °C to 50 °C, upon standing.

The compositions according to the present invention further comprise a long chain surfactant, or mixtures thereof. All surfactants have in common that they comprise a hydrophobic portion and a hydrophilic portion. By long chain surfactants, it is meant herein surfactants which comprise a  $C_{11}$  to  $C_{24}$ 

alkyl chain as their hydrophobic portion. Such long chain surfactants are accordingly those conventionally used in this field and can be of any type. Accordingly, suitable long chain surfactants for use herein include  $C_{11}$ - $C_{24}$  alkyl sulfates ( $C_{11}$ - $C_{24}$ SO<sub>4</sub>), alkyl ether sulfates ( $C_{11}$ - $C_{24}$ (OCH<sub>2</sub>CH<sub>2</sub>)eSO<sub>4</sub>), alkyl sulfonates ( $C_{11}$ - $C_{24}$ )eSO<sub>4</sub>), alkyl sulfonates ( $C_{11}$ - $C_{24}$ )eSO<sub>4</sub>). C24 SO3), alkyl succinates (C11-C24 OOCCH2CH2COOZ), alkyl carboxylates (C11-C24 COOM), alkyl ether carboxylates (C<sub>11</sub>-C<sub>24</sub>(OCH<sub>2</sub>CH<sub>2</sub>)<sub>e</sub>COOM), alkyl sarcosinates (C<sub>11</sub>-C<sub>24</sub>CON(CH<sub>3</sub>)R),alkyl sulfo succinates (C<sub>11</sub>-C<sub>24</sub>OOCCH(SO<sub>3</sub>M)CH<sub>2</sub>COOZ), amine oxides (C<sub>11</sub>-C<sub>24</sub>RR'NO), glucose amides (C<sub>11</sub>-C<sub>24</sub>CONR"X), alkyl pyrrolidones (C11-C24(C4H6ON), alkylpolysaccharides (C11-C24OGg), alkyl alkoxylates (C11- C24-(OCH<sub>2</sub>CH<sub>2</sub>)<sub>e</sub>(OCH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>)<sub>p</sub>OH) and betaines (C<sub>11</sub>-C<sub>24</sub>N<sup>+</sup>(CH<sub>3</sub>)<sub>2</sub>CH<sub>2</sub>COO-). In the formulae in brackets, e and p are independently from 0 to 20 and e+p>0, Z is M or R, M is H or any counterion such as those known in the art, including Na, K, Li, NH4, amine, X is a polyhydroxyhydrocarbyl having a linear hydrocarbyl chain with at least 3 hydroxyls directly connected to the chain, or an alkoxylated derivative thereof, R, R and R'" are C1-C5 alkyl groups, possibly functionalized with hydroxyl groups, R and R' are preferably C1-C<sub>3</sub>, most preferably methyl, R" is preferably 2-hydroxyethyl or 2 hydroxypropyl, G is a saccharide, preferably glucose, and g is of from 1.5 to 8. All these surfactants are well known in the art. A more complete disclosure of glucose amides can be found for instance in WO 92-06154 and a more complete disclosure of alkyl polysaccharides can be found for instance in US 4,536,319. The compositions according to the present invention may comprise any of the above surfactants alone, or any combination thereof, depending on the end use envisioned. In the compositions herein, preferred long chain surfactants are selected from long chain alkyl sulfonates and long chain alkyl ethoxylates, and mixtures thereof.

The compositions according to the present invention further comprise at least one short chain surfactant, or mixtures thereof. The definition of short chain surfactants is as above for long chain surfactants, except that said alkyl group as said hydrophobic portion is a C<sub>6</sub> to C<sub>10</sub> alkyl group, and where said short chain surfactant is an alkyl ether carboxylate, said alkyl chain in said hydrophobic portion is a C<sub>6</sub>-C<sub>8</sub> alkyl chain. Accordingly, suitable short chain surfactants for use herein include those listed herein above in the description of long chain surfactants, but with shorter alkyl chain.

Preferred short chain nonionic surfactants for use herein are alkyl alkoxylates according to the formula  $C_6-C_{10}(OCH_2CH_2)_e(OCH_2CH_2)_pOH$ , where e and p representing respectively the degree of ethoxylation and propoxylation are independently of from 0 to 20, and that e+p>0. Most preferred short chain nonionic surfactants for use herein are those where e and p are such that e+p is from 3 to 10, particularly those where p is 0 and e is from 3 to 8. Also, most preferred short chain nonionic surfactants for use herein are those where said short chain is a hydrocarbon chain comprising from 7 to 10 carbon atoms.

Said preferred short chain nonionic surfactants for use herein can be manufactured by the processes well known to the man skilled in the art, such as condensation of the corresponding alcohol and alkylene oxide, but such short chain surfactants are more conveniently commercially available for instance from Sidobre under the trade name Mergital<sup>®</sup>C4 (C8EO4), from Kolb under the trade names Imbentin<sup>®</sup> AG/810/050 and AG/810/080 (respectively C8-10EO5 and C8-10EO8).

Preferred short chain anionic surfactants for use herein are  $C_6$ - $C_{10}$  alkyl sulfates ( $C_6$ - $C_{10}$ SO4) and alkyl sulfonates ( $C_6$ - $C_{10}$ SO<sub>3</sub>). Most preferred are the C6-C8 alkyl sulfates and sulfonates. Such short chain anionic surfactants can be made by well known sulphation or sulphonation processes followed by neutralization, but said anionic short chain surfactants are more conveniently commercially available, for instance from Rhone Poulenc under the trade name Rhodapon<sup>®</sup> OLS, or from Witco under the trade name Witconate<sup>®</sup>.

The compositions according to the present invention may comprise from 0.1 % to 50 % by weight of the total composition, preferably from 1% to 40%, most preferably from 1.5% to 30% of said short chain surfactants. The short chain surfactants herein act not only as active cleaning ingredients, but also as stabilizers. If short chain anionic surfactants are used, it is preferred to observe a minimum weight ratio of short chain anionic surfactant to longer chain surfactant of 1:10. If short chain nonionic surfactants are used, it is preferred to observe a minimum weight ratio of short chain nonionic to longer chain surfactant of 1:5.

Depending on the end use envisioned, the compositions herein may further comprise a variety of other optional ingredients including builders, alkanolamines, pH adjusting agents, perfumes in amounts of less than 15% by weight of the total composition, dyes, bleaches, enzymes and the like.

In some instances, it may be appropriate to include a suds suppressing system in the compositions herein. Said suds suppressing system can advantageously be a mixture of 2-alkyl alkanols as described for instance in DE 40 21 265, or mixtures thereof, with a  $C_8$  to  $C_{22}$  fatty acid, or mixtures thereof. Such a system is particularly advantageous as both ingredients appear to act in synergy. Thus even a very low amount of said system is enough to control suds efficiently. Accordingly, said system is present in amounts of from 0.1% to 5% by weight of the total composition, preferably 0.5% to 3%.

The compositions herein do not require the presence of a stabilizing compound. By stabilizing compound, it is meant herein a compound whose sole function is to enhance the physical stability of the composition. Such compounds are typically xylene or toluene sulphonate salts, and glycol ethers, including ethylene glycol monobutyl ether, diethylene glycol monobutyl ether, dipropylene glycol methyl ether, propylene glycol methyl ether, propylene glycol methyl ether, propylene glycol monobutyl ether and other various solvents such as ethanol and butanol. Accordingly, the compositions of the present invention are preferably substantially free of such stabilizing compounds.

The present invention further encompasses a method of cleaning a hard surface which comprises the steps of diluting a composition according to the preceding claims in water, then applying it to said hard surface. Depending on the exact formulation, the compositions herein may be used both neat and diluted from 10 to 500 times.

### Examples

15

20

25

30

35

40

45

The present invention will be further illustrated by the following examples.

	1	Ш	Ш	IV
C <sub>12</sub> / <sub>15</sub> alkyl ethoxylate EO <sub>3</sub>	3	3	-	-
C <sub>13</sub> / <sub>15</sub> alkyl ethoxylate EO <sub>7</sub>	-	-	20	-
C <sub>13</sub> / <sub>15</sub> alkyl ethoxylate EO <sub>30</sub>	5	5	-	-
C <sub>12</sub> / <sub>14</sub> alkyl sulfonate	-	-	-	30
C <sub>8</sub> alkyl sulfate	-	10	10	10
C <sub>8</sub> alkyl ethoxylate EO <sub>6</sub>	-	9	-	-
Citric acid	3	3	1	-
Monoethanolamine	3	3	1	-
Triethanolamine	-	-	3	-
Water & minors	up to 100%			

All compositions were evaluated for their physical stability at 4°C, at room temperature (20°C), and at 50°C. Composition I, which is not within the invention, was a gel at 4°C, and an emulsion at room temperature and at 50°C. All other compositions, within the invention, were clear transparent liquids in the same conditions.

Other compositions were made by mixing the listed ingredients in the listed proportions.

	٧	VI	VII	VIII
C <sub>13</sub> / <sub>15</sub> alkyl ethoxylate EO <sub>3</sub>	4	3	5	1
C <sub>13</sub> / <sub>15</sub> alkyl ethoxylate EO <sub>7</sub>	-	-	-	5
C7/9 alkyl sulfate	7.5	-	-	-
C <sub>8</sub> alkyl sulfate	-	8	-	10
C <sub>8</sub> alkyl sulfonate	-	-	10	-
C <sub>7</sub> / <sub>9</sub> alkyl ethoxylate EO <sub>6</sub>	-	-	10	5
C <sub>8</sub> / <sub>10</sub> alkyl ethoxylate EO <sub>5</sub>	10	9	-	9
C <sub>13</sub> / <sub>15</sub> alkyl ethoxylate EO <sub>30</sub>	6	4	3	5
Na Paraffin Sulfonate	-	5	-	-
Citric acid	3	-	-	3
2-hexyl decanol	1	0.6	1	-
Palm Kernel Fatty Acid	0.4	0.4	1	-
Sodium Carbonate		3	-	-
Water & minors	up to 100%			

55

50

#### Claims

20

25

30

45

50

55

- 1. A stable and clear concentrated cleaning composition comprising from 10 % to 80 % by weight of the total composition of water, less than 15 % perfume and at least one long chain surfactant comprising a C<sub>11</sub>-C<sub>24</sub> alkyl chain as its hydrophobic portion, or mixtures thereof, characterized in that said composition further comprises at least one co-surfactant consisting of a short chain surfactant comprising a C<sub>6</sub>-C<sub>10</sub> alkyl chain as its hydrophobic portion, or mixtures thereof, except where said short chain surfactant is an alkyl ether carboxylate, said alkyl chain as said hydrophobic portion is a C<sub>6</sub>-C<sub>8</sub> alkyl chain.
- A composition according to claim 1 wherein said short chain surfactant or mixtures thereof represents from 0.1 % to 50 % by weight of the total composition, preferably from 1 % to 40%, most preferably from 1.5% to 30%.
- 3. A composition according to the preceding claims wherein said short chain surfactant, or mixtures thereof is:
  - a nonionic surfactant according to the formula C<sub>6</sub>-C<sub>10</sub>(OCH<sub>2</sub>CH<sub>2</sub>)<sub>e</sub>(OCH<sub>2</sub>CH<sub>2</sub>)<sub>p</sub>OH, where e and p representing respectively the degree of ethoxylation and propoxylation are independently of from 0 to 20, and that e+p>0; or
  - an anionic surfactant according to the formula C<sub>6</sub>-C<sub>10</sub>SO4or C<sub>6</sub>-C<sub>10</sub>SO<sub>3</sub>; or
  - Mixtures thereof.
  - 4. A composition according to claim 3 wherein e and p are such that e+p is from 3 to 10, preferably p is 0 and e is from 3 to 8.
  - 5. A composition according to claim 3 wherein said anionic surfactant is C<sub>6</sub>-C<sub>10</sub>SO4 or C<sub>6</sub>-C<sub>10</sub>SO<sub>3</sub>.
  - A composition according to the preceding claims which comprises from 30% to 70% by weight of the total composition of water.
  - A composition according to any of the preceding claims wherein said long chain surfactants are selected from long chain alkyl sulfonates and long chain alkyl ethoxylates, and mixtures thereof.
- A composition according to any of the preceding claims which is substantially free of stabilizing compounds.
  - 9. A composition according to any of the preceding claims which comprises from 0.1% to 5% by weight of the total composition, preferably 0.5% to 3% of a suds suppressing system, said suds suppressing system comprising a 2-alkyl alkanol, or mixtures thereof and a C<sub>8</sub>-C<sub>22</sub> fatty acid, or mixtures thereof.
- 10. A method of cleaning a hard surface which comprises the steps of diluting a composition according to the preceding claims in water, then applying it to said hard surface.



# **EUROPEAN SEARCH REPORT**

Application Number EP 93 87 0125

		DERED TO BE RELEVAN' ndication, where appropriate,	Relevant	CLASSIFICATION OF THE
ategory	of relevant pa	S22ges	to claim	APPLICATION (Int.CL5)
(	WO-A-92 02604 (HENK * claims 1-3,7,8 *	EL)	1-6	C11D1/00 C11D1/825 C11D1/83
(	DE-A-39 43 070 (HEN * page 2, line 66 - 1-6; example 4 *	KEL) page 4, line 4; claims	1-3,5,10	
(	FR-A-2 345 513 (RHO * claims 1-9,11 *	NE-POULENC-INDUSTRIES)	1-4,6,7	
(	FR-A-2 247 531 (THE * page 9, line 1 - 1; example 5 *	PROCTER & GAMBLE CO.) page 14, line 38; claim	1-4,6,7	
(	FR-A-2 550 959 (DIV * claims; example 8	ERSEY CORP.)	1-4	
X	GB-A-2 011 944 (UNI * the whole documen	LEVER)	1-4,6,7	
D,X	* mage 5. line 40 -	page 6, line 50 * line 26; claims 1,3,4;	1-4,6,7	TECHNICAL FIELDS SEARCHED (Int.Cl.5) C11D
X	EP-A-O 125 854 (THE * page 10, line 7 - examples 1,3 *	PROCTER & GAMBLE CO.) line 9; claims;	1-4,6	
X	GB-A-1 462 134 (THE * claims 1-17; exam		1-4,6,7	
X	FR-A-2 207 981 (BAS * page 9, line 18 - examples 6,8,9,13-1	· line 21; claim 1;	1-4,6,7	·
<b>X</b> .	EP-A-0 244 006 (UN) * claims 1,2; examp	(LEVER) ble 1 *	1-4,6,7	an,
		-/		
	The present search report has I	occo drawn up for all claims	1	
	Place of search	Date of completion of the search	<u>' T                                   </u>	Examiner
	THE HAGUE	14 June 1994	Ser	betsoglou, A
Y:pa	CATEGORY OF CITED DOCUME rticularly relevant if taken alone rticularly relevant if combined with an cument of the same category chnological background	enter D: document cited L: document cited for the cited fo	cument, but publiste in the application for other reasons	ished on, or



## **EUROPEAN SEARCH REPORT**

Application Number EP 93 87 0125

	DOCUMENTS CONSIDER  Citation of document with indication		Relevant	CLASSIFICATION OF THE
ategory	of relevant passages	Mi witter appropriates	to claim	APPLICATION (IntCL5)
<b>,</b>	EP-A-0 496 188 (THE PRO * page 3, line 36 - pag claims 1,5; examples *	CTER & GAMBLE CO.) e 4, line 45;	1-4,7	
	WO-A-93 15172 (HENKEL)  * claims 1-11; examples	-   * 	1-3,5-7	
	·			
				TECHNICAL FIELDS SEARCHED (Int.Cl.5)
	The present search report has been dr	awn up for all claims	-	
	Place of search	Date of completion of the search		Residen
	THE HAGUE	14 June 1994	Ser	betsoglou, A
Y:pa	CATEGORY OF CITED DOCUMENTS ricularly relevant if taken alone ricularly relevant if combined with another runnest of the same category	E : earlier patent ( after the filing D : document cite	siple underlying the document, but public date date d in the application for other reasons	ished on, or